

FINAL REPORT OF LABORATORY EXAMINATION

4011 Discovery Drive, Columbia, MO 65201

1-800-669-0825 1-573-499-5700

idxxbioanalytics@idexx.com

www.idexxbioanalytics.com

IDEXX BioAnalytics Case # 8803-2019

Received: 3/20/2019

Completed: 3/25/2019

Submitted By

Justin Wilson
RRRC
University of Missouri-RRRC
Columbia, MO 65201

Phone: 573-884-2524
Email: wilsonjus@missouri.edu; KorteS@missouri.edu;
oconnore@missouri.edu; FranklinC@missouri.edu;
watermanjd@missouri.edu; RhoadesJN@missouri.edu

Specimen Description

Species: rat
Breed/Strain: HET RNU
Description: Whole Animal
Number of Specimens/Animals: 11
Building/Facility: Discovery Ridge

Client ID	Investigator	Room #	Species	Strain /Breed	Sex	Rack	Date Placed
113-F	Bryda	W113	rat	HET RNU	F	1	12/17/2018
114-A	Bryda	W114	rat	HET RNU	F	1	12/17/2018
114-B	Bryda	W114	rat	HET RNU	F	4	12/17/2018
114-C	Bryda	W114	rat	HET RNU	F	5	12/17/2018
112-A	Bryda	W112	rat	HET RNU	F	1	12/17/2018
112-B	Bryda	W112	rat	HET RNU	F	2	12/17/2018
112-C	Bryda	W112	rat	HET RNU	F	3	12/17/2018
112-D	Bryda	W112	rat	HET RNU	F	4	12/17/2018
112-E	Bryda	W112	rat	HET RNU	F	5	12/17/2018
112-F	Bryda	W112	rat	HET RNU	F	6	12/17/2018
112-G	Bryda	W112	rat	HET RNU	F	7	12/17/2018

Services/Tests Performed: Rederivation Necropsy Profile

Serologic evaluation for antibodies to: *Clostridium piliforme*, *Mycoplasma pulmonis*, CAR bacillus, H1, Hantaan, KRV, LCMV, MAV1, PVM, RCV/SDAV, REO3, RMV, RPV, RTV, Sendai

PCR evaluation for: *Helicobacter bilis*, *Helicobacter ganmani*, *Helicobacter hepaticus*, *Helicobacter mastomyrinus*, *Helicobacter rodentium*, *Helicobacter spp.*, *Helicobacter typhlonius*, *Mycoplasma pulmonis*, *Pneumocystis carinii*, *Streptobacillus moniliformis*, *Streptococcus sp. beta hemolytic Group A*, *Streptococcus sp. beta hemolytic Group B*, *Streptococcus sp. beta hemolytic Group C*, *Streptococcus sp. beta hemolytic Group G*

Parasitologic evaluation for: fur mites, mesostigmatid mites, lice, Spironucleus muris, Giardia muris, large

intestinal flagellates and amoeba, pinworms and tapeworms

Microbiologic evaluation for: *Corynebacterium kutscheri*, *Pasteurella multocida*, *Pasteurella pneumotropica* biotype Heyl, *Pasteurella pneumotropica* biotype Jawetz, *Salmonella enterica*, *Streptococcus pneumoniae*

General Comments: Discovery Ridge - 2019 Q1 'A' room rat sentinel necropsies;

Summary: All test results were negative.

NECROPSY

No gross lesions were detected in any of the body systems and organs examined.

SEROLOGY SUMMARY

	113-F	114-A	114-B	114-C	112-A	112-B	112-C	112-D	112-E
CAR bacillus	-	-	-	-	-	-	-	-	-
Hantaan	-	-	-	-	-	-	-	-	-
LCMV	-	-	-	-	-	-	-	-	-
<i>Mycoplasma pulmonis</i>	-	-	-	-	-	-	-	-	-
MAV1	-	-	-	-	-	-	-	-	-
RPV	-	-	-	-	-	-	-	-	-
RMV	-	-	-	-	-	-	-	-	-
KRV	-	-	-	-	-	-	-	-	-
H1	-	-	-	-	-	-	-	-	-
PVM	-	-	-	-	-	-	-	-	-
RCV/SDAV	-	-	-	-	-	-	-	-	-
REO3	-	-	-	-	-	-	-	-	-
RTV	-	-	-	-	-	-	-	-	-
Sendai	-	-	-	-	-	-	-	-	-
<i>Clostridium piliforme</i>	-	-	-	-	-	-	-	-	-
Rat IgG	N	N	N	N	N	N	N	N	N

	112-F	112-G
CAR bacillus	-	-
Hantaan	-	-
LCMV	-	-
<i>Mycoplasma pulmonis</i>	-	-
MAV1	-	-
RPV	-	-
RMV	-	-
KRV	-	-
H1	-	-
PVM	-	-
RCV/SDAV	-	-
REO3	-	-
RTV	-	-
Sendai	-	-
<i>Clostridium piliforme</i>	-	-
Rat IgG	N	N

Legend: + = positive - = negative blank = test not performed EQ = equivocal HE = hemolysis precluded testing I = insufficient W = weak positive WB = Western Blot confirmatory analysis pending NS = non-specific reactivity N = normal IgG L = less than normal IgG

PCR EVALUATION

feces	113-F	114-A	114-B	114-C	112-A	112-B	112-C	112-D	112-E
<i>Helicobacter</i> spp.	-	-	-	-	-	-	-	-	-
<i>Helicobacter bilis</i>	-	-	-	-	-	-	-	-	-
<i>Helicobacter ganmani</i>	-	-	-	-	-	-	-	-	-
<i>Helicobacter hepaticus</i>	-	-	-	-	-	-	-	-	-
<i>Helicobacter mastomyrinus</i>	-	-	-	-	-	-	-	-	-
<i>Helicobacter rodentium</i>	-	-	-	-	-	-	-	-	-
<i>Helicobacter typhlonius</i>	-	-	-	-	-	-	-	-	-

feces	112-F	112-G
<i>Helicobacter</i> spp.	-	-
<i>Helicobacter bilis</i>	-	-
<i>Helicobacter ganmani</i>	-	-
<i>Helicobacter hepaticus</i>	-	-
<i>Helicobacter mastomyrinus</i>	-	-
<i>Helicobacter rodentium</i>	-	-
<i>Helicobacter typhlonius</i>	-	-

lung	113-F	114-A	114-B	114-C	112-A	112-B	112-C	112-D	112-E
<i>Pneumocystis carinii</i>	-	-	-	-	-	-	-	-	-

lung	112-F	112-G
<i>Pneumocystis carinii</i>	-	-

oral swab	113-F	114-A	114-B	114-C	112-A	112-B	112-C	112-D	112-E
<i>Mycoplasma pulmonis</i>	-	-	-	-	-	-	-	-	-
<i>Streptobacillus moniliformis</i>	-	-	-	-	-	-	-	-	-
<i>Streptococcus</i> sp. beta hemolytic Group A	-	-	-	-	-	-	-	-	-
<i>Streptococcus</i> sp. beta hemolytic Group B	-	-	-	-	-	-	-	-	-
<i>Streptococcus</i> sp. beta hemolytic Group C	-	-	-	-	-	-	-	-	-
<i>Streptococcus</i> sp. beta hemolytic Group G	-	-	-	-	-	-	-	-	-

oral swab	112-F	112-G
<i>Mycoplasma pulmonis</i>	-	-
<i>Streptobacillus moniliformis</i>	-	-
<i>Streptococcus</i> sp. beta hemolytic Group A	-	-
<i>Streptococcus</i> sp. beta hemolytic Group B	-	-
<i>Streptococcus</i> sp. beta hemolytic Group C	-	-
<i>Streptococcus</i> sp. beta hemolytic Group G	-	-

Legend: + = positive - = negative id:id = pooled sample range id+id+id = non-range pooled sample NT or blank = no test performed wps = weak positive Testing in progress

PARASITOLOGY

	113-F	114-A	114-B	114-C	112-A	112-B	112-C	112-D	112-E
parasites	-	-	-	-	-	-	-	-	-

	112-F	112-G
parasites	-	-

MICROBIOLOGY

Specimen/Source: cecum

Isolate	113-F	114-A	114-B	114-C	112-A	112-B	112-C	112-D	112-E
<i>Salmonella enterica</i>	-	-	-	-	-	-	-	-	-

Specimen/Source: cecum

Isolate	112-F	112-G
<i>Salmonella enterica</i>	-	-

Specimen/Source: nasopharynx

Isolate	113-F	114-A	114-B	114-C	112-A	112-B	112-C	112-D	112-E
<i>Corynebacterium kutscheri</i>	-	-	-	-	-	-	-	-	-
<i>Pasteurella multocida</i>	-	-	-	-	-	-	-	-	-
<i>Pasteurella pneumotropica</i> biotype Heyl	-	-	-	-	-	-	-	-	-
<i>Pasteurella pneumotropica</i> biotype Jawetz	-	-	-	-	-	-	-	-	-
<i>Streptococcus pneumoniae</i>	-	-	-	-	-	-	-	-	-

Specimen/Source: nasopharynx

Isolate	112-F	112-G
<i>Corynebacterium kutscheri</i>	-	-
<i>Pasteurella multocida</i>	-	-

Isolate	112-F	112-G
<i>Pasteurella pneumotropica</i> biotype Heyl	-	-
<i>Pasteurella pneumotropica</i> biotype Jawetz	-	-
<i>Streptococcus pneumoniae</i>	-	-

Legend: + = agent recovered - = agent not recovered blank = test not performed n = no growth X = Preliminary

FINAL REPORT OF LABORATORY EXAMINATION

4011 Discovery Drive, Columbia, MO 65201

1-800-669-0825 1-573-499-5700

idxxbioanalytics@idexx.com

www.idexxbioanalytics.com

IDEXX BioAnalytics Case # 8803-2019

Received: 3/20/2019

Completed: 3/25/2019

SEROLOGY DETAILS

	Baseline	113-F	114-A	114-B	114-C	112-A	112-B	112-C	112-D	112-E
CAR bacillus										
CAR bacillus purified bacteria	MFI > 3.750	-	-	-	-	-	-	-	-	-
Hantaan										
Hantaan NP	MFI > 4.000	-	-	-	-	-	-	-	-	-
LCMV										
LCMV recombinant	MFI > 3.000	-	-	-	-	-	-	-	-	-
Mycoplasma pulmonis										
<i>M. pulmonis</i> purified bacteria	MFI > 4.250	-	-	-	-	-	-	-	-	-
MAV1										
MAV1 purified virus	MFI > 3.750	-	-	-	-	-	-	-	-	-
RPV										
RPV purified virus	MFI > 2.500	-	-	-	-	-	-	-	-	-
NS1 ¹	MFI > 3.750	-	-	-	-	-	-	-	-	-
RMV										
RMV VP2 recombinant	MFI > 2.000	-	-	-	-	-	-	-	-	-
NS1 ¹	MFI > 3.750	-	-	-	-	-	-	-	-	-
KRV										
KRV purified virus	MFI > 3.250	-	-	-	-	-	-	-	-	-
NS1 ¹	MFI > 3.750	-	-	-	-	-	-	-	-	-
H1										
H1 purified virus	MFI > 1.750	-	-	-	-	-	-	-	-	-
NS1 ¹	MFI > 3.750	-	-	-	-	-	-	-	-	-
PVM										
PVM purified virus	MFI > 2.500	-	-	-	-	-	-	-	-	-
RCV/SDAV										
RCV/SDAV purified virus	MFI > 3.750	-	-	-	-	-	-	-	-	-

	Baseline	113-F	114-A	114-B	114-C	112-A	112-B	112-C	112-D	112-E
RCV/SDAV Spike	MFI > 3.750	-	-	-	-	-	-	-	-	-
REO3										
REO3 purified virus	MFI > 4.900	-	-	-	-	-	-	-	-	-
RTV										
RTV purified virus	MFI > 2.000	-	-	-	-	-	-	-	-	-
TMEV purified virus	MFI > 2.000	-	-	-	-	-	-	-	-	-
Sendai										
Sendai purified virus	MFI > 3.750	-	-	-	-	-	-	-	-	-
<i>Clostridium piliforme</i>										
<i>Clostridium piliforme</i> purified bacteria	MFI > 4.950	-	-	-	-	-	-	-	-	-

	Baseline	112-F	112-G
CAR bacillus			
CAR bacillus purified bacteria	MFI > 3.750	-	-
Hantaan			
Hantaan NP	MFI > 4.000	-	-
LCMV			
LCMV recombinant	MFI > 3.000	-	-
<i>Mycoplasma pulmonis</i>			
<i>M. pulmonis</i> purified bacteria	MFI > 4.250	-	-
MAV1			
MAV1 purified virus	MFI > 3.750	-	-
RPV			
RPV purified virus	MFI > 2.500	-	-
NS1 ¹	MFI > 3.750	-	-
RMV			
RMV VP2 recombinant	MFI > 2.000	-	-
NS1 ¹	MFI > 3.750	-	-
KRV			
KRV purified virus	MFI > 3.250	-	-
NS1 ¹	MFI > 3.750	-	-
H1			
H1 purified virus	MFI > 1.750	-	-
NS1 ¹	MFI > 3.750	-	-
PVM			
PVM purified virus	MFI > 2.500	-	-
RCV/SDAV			
RCV/SDAV purified virus	MFI > 3.750	-	-

	Baseline	112-F	112-G
RCV/SDAV Spike	MFI > 3.750	-	-
REO3			
REO3 purified virus	MFI > 4.900	-	-
RTV			
RTV purified virus	MFI > 2.000	-	-
TMEV purified virus	MFI > 2.000	-	-
Sendai			
Sendai purified virus	MFI > 3.750	-	-
<i>Clostridium piliforme</i>			
<i>Clostridium piliforme</i> purified bacteria	MFI > 4.950	-	-

NS1¹: NS1 protein is highly conserved among rodent parvoviruses and thus serves as a generic assay for parvovirus seroconversion.

Legend: + = positive - = negative blank = test not performed EQ = equivocal HE = hemolysis precluded testing I = insufficient W = weak positive WB = Western Blot confirmatory analysis pending NS = non-specific reactivity N = normal IgG L = less than normal IgG
Positive MFI results are reported as "+" followed by a number from 1 to 33 in thousands rounded off to the nearest thousand.

FINAL REPORT OF LABORATORY EXAMINATION

4011 Discovery Drive, Columbia, MO 65201

1-800-669-0825 1-573-499-5700

idxxbioanalytics@idexx.com

www.idexxbioanalytics.com

IDEXX BioAnalytics Case # 9363-2019

Received: 3/21/2019

Completed: 3/22/2019

Submitted By

Resource Center Animals-RRRC
 University of Missouri-RRRC
 Columbia, MO 65201

Phone: 573-884-7970

Email: brydae@missouri.edu; watermanjd@missouri.edu;
oneilla@missouri.edu; oconnore@missouri.edu;
mcdowellm@missouri.edu; RhoadesJN@missouri.edu;
hensone@missouri.edu

Specimen Description

Species: rat
 Description: Pelt Swab
 Number of Specimens/Animals: 4
 Building/Facility: Discovery Ridge

Client ID	Investigator	Room #	Species
W114 rat fur mite swab	Bryda	W114	rat
W113 rat fur mite swab	Bryda	W113	rat
W112 rat fur mite swab racks 1-4A	Bryda	W112	rat
W112 rat fur mite swab racks 4B-7	Bryda	W112	rat

Services/Tests Performed: Fur Mite (1-4)

PCR evaluation for: *Myocoptes*, *Radfordia/Myobia*

General Comments: AORRRC Quarterly Fur Mite Testing

Summary: All test results were negative.

PCR EVALUATION

pelt swab	W114 rat fur mite swab	W113 rat fur mite swab	W112 rat fur mite swab racks 1-4A	W112 rat fur mite swab racks 4B-7
<i>Myocoptes</i>	-	-	-	-
<i>Radfordia/Myobia</i>	-	-	-	-

Legend: + = positive - = negative id:id = pooled sample range id+id+id = non-range pooled sample NT or blank = no test performed wps = weak positive Testing in progress